

	Type	Hits	Search Text	DBs
1	IS&R	5800	((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55"))).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	120	((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55"))).CCLS.) and (paint or varnish) same (rotat\$3 or revolv\$3 or spin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	25	((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55"))).CCLS.) and (paint or varnish) same (rotat\$3 or revolv\$3 or spin\$4)) and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	580483	((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55"))).CCLS.) and rotat\$3 or revolv\$3 or spin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	BRS	2321	((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55"))).CCLS.) and (rotat\$3 or revolv\$3 or spin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	BRS	1950	((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55"))).CCLS.) and (rotat\$3 or revolv\$3 or spin\$4)) and (coat\$3 or paint\$3 or varnish\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
7	BRS	243	(((((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55")).CCLS.) and (rotat\$3 or revolv\$3 or spin\$4)) and (coat\$3 or paint\$3 or varnish\$3)) and (lid or stopper or flask or hollow near (body or article or substrate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	227	(((((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55")).CCLS.) and (rotat\$3 or revolv\$3 or spin\$4)) and (coat\$3 or paint\$3 or varnish\$3)) and (lid or stopper or flask or hollow near (body or article or substrate))) not (((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55")).CCLS.) and (paint or varnish) same (rotat\$3 or revolv\$3 or spin\$4)) and hollow)	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	IS&R	1112	((("118/55") or ("427/230") or ("427/231") or ("427/232")).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	579700	((("118/55") or ("427/230") or ("427/231") or ("427/232")).CCLS.) and rotat\$3 or revolv\$3 or spin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	BRS	293	((("118/55") or ("427/230") or ("427/231") or ("427/232")).CCLS.) and (rotat\$3 or revolv\$3 or spin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
12	BRS	258	((("118/55") or ("427/230") or ("427/231") or ("427/232")).CCLS.) and (rotat\$3 or revolv\$3 or spin\$4)) not (((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55")).CCLS.) and (rotat\$3 or revolv\$3 or spin\$4)) and (coat\$3 or paint\$3 or varnish\$3)) and (lid or stopper or flask or hollow near (body or article or substrate))) not (((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55")).CCLS.) and (paint or varnish) same (rotat\$3 or revolv\$3 or spin\$4)) and hollow))	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	9	("3652323"   "3791846"   "4513024").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	IS&R	1953	((("427/64") or ("427/164")).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	BRS	484	((("427/64") or ("427/164")).CCLS.) and (rotat\$3 or spin\$4 or revolv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	BRS	39	((("427/64") or ("427/164")).CCLS.) and (rotat\$3 or spin\$4 or revolv\$3)) and (anti?static or anti?reflective)	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	0	"5002799" and radiation	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	BRS	0	"5002799" and ultraviolet	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	BRS	98	45 not 41	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
20	BRS	98	44 and (rotat\$3 or revolv\$3 or spin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	BRS	213	42 and 43	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	IS&R	7648	((("427/240") or ("427/425") or ("427/230") or ("427/231") or ("427/232") or ("427/346") or ("427/385.5") or ("118/52") or ("118/320") or ("118/55") or ("427/64") or ("427/164"))).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	27729	ultraviolet near radiation	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	8	((("427/64") or ("427/164"))).CCLS.) and (rotat\$3 or spin\$4 or revolv\$3)) and (anti?static or anti?reflective) and nozzle	USPAT; US-PGPUB; EPO; JPO; DERWENT